

- Altenburg, W., T. Piersma, M. Engelmoer, and R. Mes. 1982. Wintering waders on the Banc d'Arguin, Mauritania. Stichting Veth tot steun aan Waddenonderzoek, Leiden.
- Atkinson, P. W., A. J. Baker, K. A. Bennett, N. A. Clark, J. A. Clark, K. B. Cole, A. Dekinga, A. Dey, S. Gillings, P. M. Gonzalez, K. Kalasz, C. D. T. Minton, J. Newton, L. J. Niles, T. Piersma, R. A. Robinson, and H. P. Sitters. 2007. Rates of mass gain and energy deposition in red knot on their final spring staging site is both time- and condition-dependent. *Journal of Applied Ecology* **44**:885-895.
- Baker, A. J., P. M. Gonzalez, T. Piersma, C. D. T. Minton, J. R. Wilson, H. P. Sitters, D. Graham, R. Jessop, P. Collins, P. de Goeij, M. Peck, R. Lini, L. Bala, G. Pagnoni, A. Vila, E. Bremer, R. Bastida, E. Ieno, D. Blanco, I. de Lima S.do Nascimento, S. S. Scherer, M. P. Schneider, A. Silva, and A. A. F. Rodriguez. 1999. Northbound migration of Red Knots *Calidris canutus rufa* in Argentina and Brazil: report on results obtained by an international expedition in March-April 1997. *Wader Study Group Bulletin* **88**:64-75.
- Baker, A. J., P. M. Gonzalez, T. Piersma, L. J. Niles, I. de Lima S.do Nascimento, P. W. Atkinson, P. Collins, N. A. Clark, C. D. T. Minton, M. K. Peck, and G. Aarts. 2004. Rapid population decline in red knots: fitness consequences of decreased refuelling rates and late arrival in Delaware Bay. *Proceedings of the Royal Society of London B* **271**:875-882.
- Baker, A. J., R. E. Manriquez, L. G. Benegas, D. E. Blanco, O. Borowik, E. Ferrando, P. de Goeij, P. M. Gonzalez, J. Gonzalez, C. D. T. Minton, M. Peck, T. Piersma, and M. S. Ramirez. 1996. Red Knots *Calidris canutus* at their farthest south: an international expedition to Tierra del Fuego, Argentina, in February 1995. *Wader Study Group Bulletin* **79**:103-108.
- Baker, A. J., T. Piersma, and A. D. Greenslade. 1999. Molecular versus phenotypic sexing in Red Knots. *Condor* **101**:887-893.
- Baker, A. J., T. Piersma, and L. Rosenmeier. 1994. Unraveling the intraspecific phylogeography of Knots *Calidris canutus*: a progress report on the search for genetic markers. *Journal fur Ornithologie* **135**:599-608.
- Battley, P. F., A. Dekinga, M. W. Dietz, T. Piersma, S. Tang, and K. Hulsman. 2001. Basal metabolic rate declines during long-distance migratory flight in Great Knots. *Condor* **103**:838-845.
- Battley, P. F., M. W. Dietz, T. Piersma, A. Dekinga, S. Tang, and K. Hulsman. 2001. Is long-distance bird flight equivalent to a high-energy fast? Body composition changes in freely migrating and captive fasting great knots. *Physiological and Biochemical Zoology* **74**:435-449.
- Battley, P. F., and T. Piersma. 1997. Body composition of Lesser Knots (*Calidris canutus rogersi*) preparing to take off on migration from northern New Zealand. *Notornis* **44**:137-150.
- Battley, P. F., and T. Piersma. 2005. Adaptive interplay between feeding ecology and features of the digestive tract in birds. Pages 201-228 in J. M. Starck and T. Wang, editors. *Physiological and ecological adaptations to feeding in vertebrates*. Science Publishers, Enfield, New Hampshire.
- Battley, P. F., T. Piersma, A. Dekinga, D. I. Rogers, B. Spaans, and J. A. van Gils. 2004. Do body composition and plumage during fuelling predict northward departure dates of Great Knots (*Calidris tenuirostris*) from north-west Australia? *Ibis* **146**:46-60.
- Battley, P. F., T. Piersma, M. W. Dietz, S. Tang, A. Dekinga, and K. Hulsman. 2000. Empirical evidence for differential organ reductions during trans-oceanic bird flight. *Proceedings of the Royal Society of London B* **267**:191-196.
- Battley, P. F., T. Piersma, L. R. M. Maas, F. van Duyl, S. Schouten, and N. Krijgsman. 2003. Feeding ecology and the digestive tract: comparisons among waders. Pages 64-65 Annual Report 2002 Royal Netherlands Institute for Sea Research (NIOZ). Royal Netherlands Institute for Sea Research (NIOZ), Texel.
- Battley, P. F., D. I. Rogers, T. Piersma, and A. Koolhaas. 2003. Behavioural evidence for heat-load problems in Great Knots in tropical Australia fuelling for long-distance flight. *Emu* **103**:97-103.
- Battley, P. F., D. I. Rogers, J. A. van Gils, T. Piersma, C. J. Hassell, A. Boyle, and H. Y. Yang. 2005. How do red knots *Calidris canutus* leave Northwest Australia in May and reach the breeding grounds in June? Predictions of stopover times, fuelling rates and prey quality in the Yellow Sea. *Journal of Avian Biology* **36**:494-500.
- Bijleveld, A. I., M. Egas, J. A. van Gils, and T. Piersma. 2010. Beyond the information centre hypothesis: communal roosting for information on food, predators, travel companions and mates? *Oikos* **119**:277-285.
- Bijleveld, A. I., E. O. Folmer, and T. Piersma. 2012. Experimental evidence for cryptic interference among socially foraging shorebirds. *Behavioral Ecology* **23**:806-814.
- Bijleveld, A. I., R. B. MacCurdy, Y. C. Chan, E. Penning, R. M. Gabrielson, J. Cluderay, E. L. Spaulding, A. Dekinga, S. Holthuisen, J. ten Horn, M. Brugge, J. A. van Gils, D. W. Winkler, and T. Piersma. 2016. Understanding spatial distributions: negative density-dependence in prey causes predators to trade-off prey quantity with quality.

- Proceedings of the Royal Society B **283**:20151557 (20151559 pp).
- Bijleveld, A. I., G. Massourakis, A. van der Marel, A. Dekinga, B. Spaans, J. A. van Gils, and T. Piersma. 2014. Personality drives physiological adjustments and is not related to survival. *Proceedings of the Royal Society B* **281**:20133135 (20133139 pp).
- Bijleveld, A. I., S. Twietmeyer, J. Piechocki, J. A. van Gils, and T. Piersma. 2015. Natural selection by pulsed predation: survival of the thickest. *Ecology* **96**:1943-1956.
- Bijleveld, A. I., J. A. van Gils, J. Jouta, and T. Piersma. 2015. Benefits of foraging in small groups: An experimental study on public information use in red knots *Calidris canutus*. *Behavioural Processes* **117**:74-81.
- Boyd, H., and T. Piersma. 2001. Changing balance between survival and recruitment explains population trends in Red Knots *Calidris canutus islandica* wintering in Britain, 1969-1995. *Ardea* **89**:301-317.
- Boyd, H., and T. Piersma. 2001. Why do few Afro-Siberian Knots *Calidris canutus canutus* now visit Britain? *Bird Study* **48**:147-158.
- Brochard, C., B. Spaans, J. Prop, and T. Piersma. 2002. Use of individual colour-ringing to estimate annual survival in male and female Red Knot *Calidris canutus islandica*: a progress report for 1998-2001. *Wader Study Group Bulletin* **99**:54-56.
- Bruinzeel, L. W., and T. Piersma. 1998. Cost reduction in the cold: heat generated by terrestrial locomotion partly substitutes for thermoregulation costs in Knot *Calidris canutus* *Ibis* **140**:323-328.
- Buehler, D. M., A. J. Baker, and T. Piersma. 2006. Reconstructing palaeoflyways of the late Pleistocene and early Holocene red knot (*Calidris canutus*). *Ardea* **94**:485-498.
- Buehler, D. M., N. Bohla, D. Barjaktarov, W. Goymann, I. Schwabl, B. I. Tieleman, and T. Piersma. 2008. Standing immune function responds more slowly to capture stress than corticosterone in a shorebird. *Physiological and Biochemical Zoology* **81**:673-681.
- Buehler, D. M., L. Bugoni, G. M. Dorrestein, P. M. Gonz lez, J. Pereira, Jr., L. Proen#a, I. de Lima Serrano, A. J. Baker, and T. Piersma. 2010. Local mortality events in migrating sandpipers (*Calidris*) at a staging site in southern Brazil. *Wader Study Group Bulletin* **117**:150-156.
- Buehler, D. M., F. Encinas-Viso, M. Petit, F. V.zina, B. I. Tieleman, and T. Piersma. 2009. Limited access to food and physiological trade-offs in a long-distance migrant shorebird. II. Constitutive immune function and the acute-phase response. *Physiological and Biochemical Zoology* **82**:561-571.
- Buehler, D. M., A. Koolhaas, T. J. Van't Hof, I. Schwabl, A. Dekinga, T. Piersma, and B. I. Tieleman. 2009. No evidence for melatonin-linked immunoenhancement over the annual cycle of an avian species. *Journal of Comparative Physiology A* **195**:445-451.
- Buehler, D. M., and T. Piersma. 2008. Travelling on a budget: predictions and ecological evidence for bottlenecks in the annual cycle of long-distance migrants. *Philosophical Transactions of the Royal Society of London, B* **363**:247-266.
- Buehler, D. M., T. Piersma, K. D. Matson, and B. I. Tieleman. 2008. Seasonal redistribution of immune function in a migrant shorebird: annual-cycle effects override adjustments to thermal regime. *American Naturalist* **172**:783-796.
- Buehler, D. M., T. Piersma, and B. I. Tieleman. 2008. Captive and free-living red knots *Calidris canutus* exhibit differences in non-induced immunity that suggest different immune strategies in different environments. *Journal of Avian Biology* **39**:560-566.
- Buehler, D. M., B. I. Tieleman, and T. Piersma. 2009. Age and environment affect constitutive immune function in red knots (*Calidris canutus*). *Journal of Ornithology* **150**:815-825.
- Buehler, D. M., B. I. Tieleman, and T. Piersma. 2010. How do migratory species stay healthy over the annual cycle? A conceptual model for immune function and for resistance to disease. *Integrative and Comparative Biology* **50**:346-357.
- Buehler, D. M., B. I. Tieleman, and T. Piersma. 2010. Indices of immune function are lower in red knots (*Calidris canutus*) recovering protein than in those storing fat during stopover in Delaware Bay. *Auk* **127**:394-401.
- Buehler, D. M., F. Vézina, W. Goymann, I. Schwabl, M. A. Versteegh, B. I. Tieleman, and T. Piersma. 2012. Independence among physiological traits suggests flexibility in the face of ecological demands on phenotypes. *Journal of evolutionary Biology* **25**:1600-1613.
- Bulla, M., T. Oudman, A. I. Bijleveld, T. Piersma, and C. P. Kyriacou. 2017. Marine biorhythms: bridging chronobiology and ecology. *Philosophical Transactions of the Royal Society B* **372**:20160253.
- Cadee, N., T. Piersma, and S. Daan. 1996. Endogenous circannual rhythmicity in a non-passerine migrant, the Knot *Calidris canutus* *Ardea* **84**:75-84.

- Chan, Y. C., M. Brugge, T. L. Tibbitts, A. Dekinga, R. Porter, R. H. G. Klaassen, and T. Piersma. 2016. Testing an attachment method for solar-powered tracking devices on a long-distance migrating shorebird. *Journal of Ornithology* **157**:277-287.
- Chan, Y. C., H. B. Peng, Y.-X. Han, S. S.-W. Chung, J. Li, L. Zhang, and T. Piersma. 2019. Conserving unprotected important coastal habitats in the Yellow Sea: Shorebird occurrence, distribution and food resources at Lianyungang. *Global Ecology and Conservation* **20**:e00724.
- Chan, Y.-C., T. L. Tibbitts, T. Lok, C. J. Hassell, H.-B. Peng, Z. Ma, Z.-W. Zhang, and T. Piersma. 2019. Filling knowledge gaps in a threatened shorebird flyway through satellite tracking. *Journal of Applied Ecology* **56**:2305-2315.
- Choi, C.-Y., H.-B. Peng, P. He, X.-T. Ren, S. Zhang, M. V. Jackson, Z. Gan, Y. Chen, Y. Jia, M. Christie, T. Flaherty, K.-S. K. Leung, C. Yu, N. J. Murray, T. Piersma, R. A. Fuller, and Z. Ma. 2019. Where to draw the line? Using movement data to inform protected area design and conserve mobile species. *Biological Conservation* **234**:64-71.
- Conklin, J. R., J. Reneerkens, Y. I. Verkuil, P. S. Tomkovich, P. J. Palsboll, and T. Piersma. 2016. Low genetic differentiation between Greenlandic and Siberian Sanderling populations implies a different phylogeographic history than found in Red Knots. *Journal of Ornithology* **157**:325-332.
- Conklin, J. R., N. R. Senner, P. F. Battley, and T. Piersma. 2017. Extreme migration and the individual quality spectrum. *Journal of Avian Biology* **48**:19-36.
- Conklin, J. R., Y. I. Verkuil, P. F. Battley, C. J. Hassell, J. Ten Horn, J. A. Johnson, P. S. Tomkovich, A. J. Baker, T. Piersma, and M. C. Fontaine. 2022. Global flyway evolution in red knots *Calidris canutus* and genetic evidence for a Nearctic refugium. *Molecular Ecology* **31**:2124-2139.
- Davidson, N. C., and T. Piersma. 1992. The migration of Knots: conservation needs and implications. *Wader Study Group Bulletin* **64, Suppl.**:198-209.
- Davidson, N. C., and T. Piersma. 2009. Red Knot *Calidris canutus* Pages 362-368 in S. Delany, D. A. Scott, T. Dodman, and D. A. Stroud, editors. *An Atlas of Wader Populations in Africa and Western Eurasia*. Wetlands International, Wageningen.
- de Fouw, J., T. van der Heide, T. Oudman, L. R. M. Maas, T. Piersma, and J. A. van Gils. 2016. Structurally complex seagrass obstructs the sixth sense of a specialized avian molluscivore. *Animal Behaviour* **115**:55-67.
- Dekinga, A., M. W. Dietz, A. Koolhaas, and T. Piersma. 2001. Time course and reversibility of changes in the gizzards of Red Knots alternately eating hard and soft food. *Journal of Experimental Biology* **204**:2167-2173.
- Dekinga, A., and T. Piersma. 1993. Reconstructing diet composition on the basis of faeces in a mollusc-eating wader, the Knot *Calidris canutus* *Bird Study* **40**:144-156.
- Dekker, M. H. A., T. Piersma, and J. S. Sinninghe Damste. 2000. Molecular analysis of intact preen waxes of *Calidris canutus* (Aves: Scolopacidae) by gas chromatography/mass spectrometry. *Lipids* **35**:533-541.
- Dick, W. J. A., T. Piersma, and P. Prokosch. 1987. Spring migration of the Siberian Knots *Calidris canutus canutus* : results of a co-operative Wader Study Group project. *Ornis Scandinavica* **18**:5-16.
- Dietz, M. W., A. Dekinga, T. Piersma, B. D. Johannsen, and R. Nielsen. 1997. Ultrasonic measurement of organ size in small birds to study physiological correlates: basal metabolic rate and thermogenic capacity. Pages 405-408 *Thermal physiology 1997. Proceedings from the 1997 Symposium on Thermal Physiology*. The August Krogh Institute, Copenhagen.
- Dietz, M. W., A. Dekinga, T. Piersma, and S. Verhulst. 1999. Estimating organ size in small migrating shorebirds with ultrasonography: an intercalibration exercise. *Physiological and Biochemical Zoology* **72**:28-37.
- Dietz, M. W., S. Jenni-Eiermann, and T. Piersma. 2009. The use of plasma metabolites to predict weekly body-mass change in red knots. *Condor* **111**:88-99.
- Dietz, M. W., and T. Piersma. 2007. Red knots give up flight capacity and defend food processing capacity during winter starvation. *Functional Ecology* **21**:899-904.
- Dietz, M. W., T. Piersma, and A. Dekinga. 1999. Body-building without power training: endogenously regulated pectoral muscle hypertrophy in confined shorebirds. *Journal of Experimental Biology* **202**:2831-2837.
- Dietz, M. W., T. Piersma, A. Dekinga, H. Korthals, and M. Klaassen. 2013. Unusual patterns in 15N blood values after a diet switch in red knot shorebirds. *Isotopes in Environmental and Health Studies* **49**:283-292.
- Dietz, M. W., T. Piersma, A. Hedenstrom, and M. Brugge. 2007. Intraspecific variation in avian pectoral muscle mass: constraints on maintaining manoeuvrability with increasing body mass. *Functional Ecology* **21**:317-326.
- Dietz, M. W., K. G. Rogers, and T. Piersma. 2013. When the seasons don't fit: speedy molt as a routine carry-over cost of reproduction. *PLoS ONE* **8**:1-7 (e53890).
- Dietz, M. W., B. Spaans, A. Dekinga, M. Klaassen, H. Korthals, C. van Leeuwen, and T. Piersma. 2010. Do red knots (*Calidris canutus islandica*) routinely skip Iceland during southward migration? *Condor* **112**:48-55.

- Drent, R., T. Piersma, and E. Gwinner. 1990. An exploration of the energetics of leap-frog migration in arctic breeding waders. Pages 399-412 *Bird migration: physiology and ecophysiology*. Springer-Verlag, Berlin.
- Engelmoer, M., T. Piersma, W. Altenburg, R. Mes, P. R. Evans, J. D. Goss-Custard, and W. G. Hale. 1984. The Banc d'Arguin (Mauritania). Pages 293-310 *Coastal waders and wildfowl in winter*. Cambridge University Press, Cambridge.
- Ersoy, S., C. E. Beardsworth, A. Dekinga, M. T. J. van der Meer, T. Piersma, T. G. G. Groothuis, and A. I. Bijleveld. 2022. Exploration speed in captivity predicts foraging tactics and diet in free-living red knots. *Journal of Animal Ecology* **91**:356-377.
- Escudero, G. B., J. G. Navedo, T. Piersma, P. de Goeij, and P. Edelaar. 2012. Foraging conditions 'at the end of the world' in the context of long-distance migration and population declines in red knots. *Austral Ecology* **37**:355-364.
- Folmer, E. O., H. Olff, and T. Piersma. 2010. How well do food distributions predict spatial distributions of shorebirds with different degrees of self-organization? *Journal of Animal Ecology* **79**:747-756.
- Folmer, E. O., H. Olff, and T. Piersma. 2012. The spatial distribution of flocking foragers: disentangling the effects of food availability, interference and conspecific attraction by means of spatial autoregressive modeling. *Oikos* **121**:551-561.
- Gonzalez, P. M., T. Piersma, and Y. Verkuil. 1996. Food, feeding and refuelling of Red Knots during northward migration at San Antonio Oeste, Rio Negro, Argentina. *Journal of Field Ornithology* **67**:575-591.
- Gutierrez, J. S., and T. Piersma. 2016. Ecological context determines the choice between prey of different salinities. *Behavioral Ecology* **27**:530-537.
- Gutierrez, J. S., A. Soriano-Redondo, A. Dekinga, A. Villegas, J. A. Masero, and T. Piersma. 2015. How salinity and temperature combine to affect physiological state and performance in red knots with contrasting non-breeding environments. *Oecologia* **178**:1077-1091.
- Hasselquist, D., A. Lindstrom, S. Jenni-Eiermann, A. Koolhaas, and T. Piersma. 2007. Long flights do not influence immune responses of a long-distance migrant bird: a wind-tunnel experiment. *Journal of Experimental Biology* **210**:1123-1131.
- Helm, B., E. Gwinner, A. Koolhaas, P. F. Battley, I. Schwabl, A. Dekinga, and T. Piersma. 2012. Avian migration: Temporal multitasking and a case study of melatonin cycles in waders. *Progress in Brain Research* **199**:457-579.
- Henriques, M., J. R. Belo, J. Sá, H. Monteiro, J. A. Alves, T. Piersma, T. Dodman, and M. van Roomen. 2022. The Bijagós Archipelago: a key area for waterbirds of the East Atlantic Flyway. Pages 8-93 *in East Atlantic Flyway Assessment 2020. The status of coastal waterbird populations and their sites*. Wadden Sea Flyway Initiative p/a CWSS, Wilhelmshaven, Germany, Wetlands International, Wageningen, The Netherlands, BirdLife International, Cambridge, UK, Wilhelmshaven.
- Hua, N., T. Piersma, and Z. Ma. 2013. Three-phase fuel deposition in a long-distance migrant, the red knot (*Calidris canutus piersmai*), before the flight to High Arctic breeding grounds. *PLoS ONE* **8**:1-6 (e62551).
- Jenni-Eiermann, S., D. Hasselquist, A. Lindstrom, A. Koolhaas, and T. Piersma. 2009. Are birds stressed during long-term flights? A wind-tunnel study on circulating corticosterone in the red knot. *General and Comparative Endocrinology* **164**:101-106.
- Jenni-Eiermann, S., L. Jenni, A. Kvist, A. Lindstrom, T. Piersma, and G. H. Visser. 2002. Fuel use and metabolic response to endurance exercise: a wind tunnel study of a long-distance migrant shorebird. *Journal of Experimental Biology* **205**:2453-2460.
- Jenni-Eiermann, S., L. Jenni, and T. Piersma. 2002. Plasma metabolites reflect seasonally changing metabolic processes in a long-distance migrant shorebird (*Calidris canutus*). *Zoology* **105**:239-246.
- Jenni-Eiermann, S., L. Jenni, and T. Piersma. 2002. Temporal uncoupling of thyroid hormones in Red Knots: T3 peaks in cold weather, T4 during moult. *Journal fur Ornithologie* **143**:331-340.
- Karagicheva, J., E. Rakhimberdiev, A. Dekinga, M. Brugge, A. Koolhaas, J. ten Horn, and T. Piersma. 2016. Seasonal time keeping in a long-distance migrating shorebird. *Journal of Biological Rhythms* **31**:509-521.
- Karagicheva, J., E. Rakhimberdiev, A. Saveliev, and T. Piersma. 2018. Annual chronotypes functionally link life histories and life cycles in birds. *Functional Ecology* **32**:2369-2379.
- Kerstel, E. R. T., T. Piersma, J. A. Gessaman, A. Dekinga, H. A. J. Meijer, and G. H. Visser. 2006. Assessment of the amount of body water in the red knot (*Calidris canutus*): an evaluation of the principle of isotope dilution with <sup>2</sup>H, <sup>17</sup>O, and <sup>18</sup>O as measured with laser spectrometry and isotope ratio mass spectrometry *Isotopes in Environmental and Health Studies* **42**:1-7.
- Klaassen, M., A. Lindstrom, H. Meltofte, and T. Piersma. 2001. Arctic waders are not capital breeders. *Nature* **413**:794-

- Klaassen, M., T. Piersma, H. Korthals, A. Dekinga, and M. W. Dietz. 2010. Single-point isotope measurements in blood cells and plasma to estimate the time since diet switches. *Functional Ecology* **24**:796-804.
- Kok, E. M. A., J. B. Burant, A. Dekinga, P. Manche, D. Saintonge, T. Piersma, and K. J. Mathot. 2019. Within-individual canalization contributes to age-related increases in trait repeatability: a longitudinal experiment in red knots. *American Naturalist* **194**:455-469.
- Kok, E. M. A., J. A. Hogan, and T. Piersma. 2020. Experimental tests of a seasonally changing visual preference for habitat in a long-distance migratory shorebird. *Ethology* **126**:681-693.
- Kok, E. M. A., T. L. Tibbitts, D. C. Douglas, P. W. Howey, A. Dekinga, B. Gnep, and T. Piersma. 2020. A red knot as a black swan: how a single bird shows navigational abilities during repeat crossings of the Greenland Icecap. *Journal of Avian Biology* **51**:e02464 (pp. 02461-02411).
- Koolhaas, A., A. Dekinga, and T. Piersma. 1993. Disturbance of foraging Knots by aircraft in the Dutch Wadden Sea in August-October 1992. *Wader Study Group Bulletin* **68**:20-22.
- Kraan, C., J. A. van Gils, B. Spaans, A. Dekinga, A. I. Bijleveld, M. van Roomen, R. Kleefstra, and T. Piersma. 2009. Landscape-scale experiment demonstrates that Wadden Sea intertidal flats are used to capacity by molluscivore migrant shorebirds. *Journal of Animal Ecology* **78**:1259-1268.
- Kraan, C., J. A. van Gils, B. Spaans, A. Dekinga, and T. Piersma. 2010. Why Afro-Siberian Red Knots *Calidris canutus canutus* have stopped staging in the western Dutch Wadden Sea during southward migration. *Ardea* **98**:155-160.
- Kvist, A., A. Lindstrom, M. Green, T. Piersma, and G. H. Visser. 2001. Carrying large fuel loads during sustained bird flight is cheaper than expected. *Nature* **413**:730-732.
- Lameris, T. K., P. S. Tomkovich, J. A. Johnson, R. I. G. Morrison, I. Tulp, S. Lisovski, L. DeCicco, M. Dementyev, R. E. Gill, Jr., J. ten Horn, T. Piersma, Z. Pohlen, H. Schekkerman, M. Soloviev, E. E. Syroechkovsky, M. K. Zhemchushnikov, and J. A. van Gils. 2022. Mismatch-induced growth reductions in a clade of Arctic-breeding shorebirds are rarely mitigated by increasing temperatures. *Global Change Biology* **28**:829-847.
- Landys, M. M., T. Piersma, M. Ramenofsky, and J. C. Wingfield. 2004. Role of the low-affinity glucocorticoid receptor in the regulation of behavior and energy metabolism in the migratory red knot *Calidris canutus islandica*. *Physiological and Biochemical Zoology* **77**:658-668.
- Lei, W., J. A. Masero, T. Piersma, B. Zhu, H. Y. Yang, and Z. W. Zhang. 2018. Alternative habitat: the importance of the Nanpu Saltpans for migratory waterbirds in the Chinese Yellow Sea. *Bird Conservation International* **28**:549-566.
- Leyrer, J., P. Bocher, F. Robin, P. Delaporte, C. Goulevant, E. Joyeux, F. Meunier, and T. Piersma. 2009. Northward migration of Afro-Siberian Knots *Calidris canutus canutus*: high variability in Red Knot numbers visiting staging sites on the French Atlantic coast, 1979-2009. *Wader Study Group Bulletin* **116**:145-151.
- Leyrer, J., T. Lok, M. Brugge, A. Dekinga, B. Spaans, J. A. van Gils, B. K. Sandercock, and T. Piersma. 2012. Small-scale demographic structure suggests preemptive behavior in a flocking shorebird. *Behavioral Ecology* **23**:1226-1233.
- Leyrer, J., T. Lok, M. Brugge, B. Spaans, B. K. Sandercock, and T. Piersma. 2013. Mortality within the annual cycle: seasonal survival patterns in Afro-Siberian Red Knots *Calidris canutus canutus*. *Journal of Ornithology* **154**:933-943.
- Leyrer, J., S. Pruiksma, and T. Piersma. 2009. On 4 June 2008 Siberian red knots at the Elbe Mouth kissed the canonical evening departure rule goodbye. *Ardea* **97**:71-79.
- Leyrer, J., B. Spaans, M. Camara, and T. Piersma. 2006. Small home ranges and high site fidelity in red knots (*Calidris c. canutus*) wintering on the Banc d'Arguin, Mauritania. *Journal of Ornithology* **147**:376-384.
- Lindstrom, A., A. Kvist, T. Piersma, A. Dekinga, and M. W. Dietz. 2000. Avian pectoral muscle size rapidly tracks body mass changes during flight, fasting and fuelling. *Journal of Experimental Biology* **203**:913-919.
- Lok, T., C. J. Hassell, T. Piersma, R. Pradel, and O. Gimenez. 2019. Accounting for heterogeneity when estimating stopover duration, timing and population size of red knots along the Luannan Coast of Bohai Bay, China. *Ecology and Evolution* **9**:6176-6199.
- Lourenco, P. M., T. Catry, R. J. Lopes, T. Piersma, and J. P. Granadeiro. 2017. Invisible trophic links? Quantifying the importance of non-standard food sources for key intertidal avian predators in the Eastern Atlantic. *Marine Ecology - Progress Series* **563**:219-232.
- Lourenco, P. M., T. Catry, T. Piersma, and J. P. Granadeiro. 2016. Comparative feeding ecology of shorebirds wintering at Banc d'Arguin, Mauritania. *Estuaries and Coasts* **39**:855-865.

- Martin, G. R., and T. Piersma. 2009. Vision and touch in relation to foraging and predator detection: insightful contrasts between a plover and a sandpiper. *Proceedings of the Royal Society B* **276**:437-445.
- Mathot, K. J., A. Dekinga, and T. Piersma. 2017. An experimental test of state-behaviour feedbacks: gizzard mass and foraging behaviour in red knots. *Functional Ecology* **31**:1111-1121.
- Mathot, K. J., E. M. A. Kok, J. B. Burant, A. Dekinga, P. Manche, D. Saintonge, and T. Piersma. 2019. Evolutionary design of a flexible, seasonally migratory, avian phenotype: why trade gizzard mass against pectoral muscle mass? *Proceedings of the Royal Society B* **286**:20190518 (20190519 pp).
- Mathot, K. J., E. M. A. Kok, P. van den Hout, A. Dekinga, and T. Piersma. 2020. Red knots (*Calidris canutus islandica*) manage body mass with dieting and activity. *Journal of Experimental Biology* **223**:jeb231993 (231911 pp.).
- Mathot, K. J., T. Piersma, and R. W. Elner. 2018. Shorebirds as integrators and indicators of mudflat ecology. Pages 309-338 in P. G. Beninger, editor. *Mudflat Ecology*. Springer Nature, Switzerland.
- Mathot, K. J., P. J. van den Hout, and T. Piersma. 2009. Differential responses of red knots, *Calidris canutus*, to perching and flying sparrowhawk, *Accipiter nisus*, models. *Animal Behaviour* **77**:1179-1185.
- Mathot, K. J., P. J. van den Hout, T. Piersma, B. Kempnaers, D. Reale, and N. J. Dingemanse. 2011. Disentangling the roles of frequency- vs. state-dependence in generating individual differences in behavioural plasticity. *Ecology Letters* **14**:1254-1262.
- Mendes, L., T. Piersma, and D. Hasselquist. 2006. Two estimates of the metabolic costs of antibody production in migratory shorebirds: low costs, internal reallocation, or both? *Journal of Ornithology* **147**:274-300.
- Mendes, L., T. Piersma, D. Hasselquist, K. D. Matson, and R. A. Ricklefs. 2006. Variation in the innate and acquired arms of the immune system among five shorebird species. *Journal of Experimental Biology* **209**:284-291.
- Milot, E., A. A. Cohen, F. Vezina, D. M. Buehler, K. D. Matson, and T. Piersma. 2014. A novel integrative method for measuring body condition in ecological studies based on physiological dysregulation. *Methods in Ecology and Evolution* **5**:146-155.
- Morrison, R. I. G., N. C. Davidson, and T. Piersma. 1997. Daily energy expenditure and water turnover of shorebirds at Alert, Ellesmere Island, N.W.T. *Progress Notes Canadian Wildlife Service* **211**:1-8.
- Morrison, R. I. G., N. C. Davidson, and T. Piersma. 2005. Transformations at high latitudes: why do red knots bring body stores to the breeding grounds? *Condor* **107**:449-457.
- Mu, T., S. Cai, H.-B. Peng, C. J. Hassell, A. Boyle, Z.-W. Zhang, T. Piersma, and D. S. Wilcove. 2022. Evaluating staging habitat quality to advance the conservation of a declining migratory shorebird, Red Knot *Calidris canutus*. *Journal of Applied Ecology* **59**:2084-2093.
- Muller, J. R. M., Y.-C. Chan, T. Piersma, Y.-P. Chen, S. G. J. Aarninkhof, C. J. Hassell, J.-F. Tao, Z. Gong, Z. B. Wang, and D. S. van Maren. 2020. Building for nature: Preserving threatened bird habitat in port design. *Water* **12**:2134 (2122 pp.).
- Muller, J. R. M., Y.-P. Chen, S. G. J. Aarninkhof, Y.-C. Chan, T. Piersma, D. S. van Maren, J.-F. Tao, Z. B. Wang, and Z. Gong. 2020. Ecological impact of land reclamation on Jiangsu coast (China): A novel ecotope assessment for Tongzhou Bay. *Water Science and Engineering* **13**:57-64.
- Nebel, S., T. Piersma, J. van Gils, A. Dekinga, and B. Spaans. 2000. Length of stopover, fuel storage and a sex-bias in the occurrence of Red Knots *Calidris c. canutus* and *C. c. islandica* in the Wadden Sea during southward migration. *Ardea* **88**:165-176.
- Onrust, J., J. de Fouw, T. Oudman, M. van der Geest, T. Piersma, and J. A. van Gils. 2013. Red Knot diet reconstruction revisited: context dependence revealed by experiments at Banc d'Arguin, Mauritania. *Bird Study* **60**:298-307.
- Oudman, T., A. I. Bijleveld, M. M. Kavelaars, A. Dekinga, J. Cluderay, T. Piersma, and J. A. van Gils. 2016. Diet preferences as the cause of individual differences rather than the consequence. *Journal of Animal Ecology* **85**:1378-1388.
- Oudman, T., J. Onrust, J. de Fouw, B. Spaans, T. Piersma, and J. A. van Gils. 2014. Digestive capacity and toxicity cause mixed diets in red knots that maximize energy intake rate. *American Naturalist* **183**:650-659.
- Oudman, T., T. Piersma, M. V. Ahmedou Salem, M. E. Feis, A. Dekinga, S. Holthuijsen, J. ten Horn, J. A. van Gils, and A. I. Bijleveld. 2018. Resource landscapes explain contrasting patterns of aggregation and site fidelity by red knots at two wintering sites. *Movement Ecology* **6**:24 (12 pp).
- Oudman, T., H. Schekkerman, A. Kidee, M. van Roomen, M. Camara, C. J. Smit, J. Ten Horn, T. Piersma, and E.-H. M. El-Hacen. 2020. Changes in the waterbird community of the Parc National du Banc d'Arguin, Mauritania, 1980-2017. *Bird Conservation International* **30**:618-633.
- Oudman, T., H. Schekkerman, A. Kidee, M. van Roomen, M. Tentij, and T. Piersma. 2017. The waterbirds of Parc National du Banc d'Arguin. Evaluation of all complete winter counts, Workshop proceedings, and a future

- perspective Programma naar een Rijkske Waddenzee, Leeuwarden.
- Petit, M., F. V. Zina, and T. Piersma. 2010. Ambient temperature does not affect fuelling rate in absence of digestive constraints in long-distance migrant shorebird fuelling up in captivity. *Journal of Comparative Physiology B* **180**:847-856.
- Piersma, T. 1991. Red Knots in New Zealand eat molluscs too: preliminary diet observations at Miranda, Firth of Thames and Farewell Spit in November 1990. *Stilt* **19**:30-35.
- Piersma, T. 1997. Do global patterns of habitat use and migration strategies co-evolve with relative investments in immunocompetence due to spatial variation in parasite pressure? *Oikos* **80**:623-631.
- Piersma, T. 1998. Phenotypic flexibility during migration: optimization of organ size contingent on the risks and rewards of fueling and flight? *Journal of Avian Biology* **29**:511-520.
- Piersma, T. 2002. Energetic bottlenecks and other design constraints in avian annual cycles. *Integrative and Comparative Biology* **42**:51-67.
- Piersma, T. 2002. When a year takes 18 months: evidence for a strong circannual clock in a shorebird. *Naturwissenschaften* **89**:278-279.
- Piersma, T. 2007. Using the power of comparison to explain habitat use and migration strategies of shorebirds worldwide. *Journal of Ornithology* **148 (Suppl. 1)**:S45-S59.
- Piersma, T. 2009. Threats to intertidal soft-sediment ecosystems. Pages 57-69 *in* S. Reinhard and H. Folmer, editors. *Water policy in the Netherlands. Integrated management in a densely populated delta. Resources for the Future*, Washington, D.C.
- Piersma, T. 2011. Flyway evolution is too fast to be explained by the modern synthesis: proposals for an 'extended' evolutionary research agenda. *Journal of Ornithology* **152 (Suppl. 1)**:S151-S159.
- Piersma, T. 2011. Why marathon migrants get away with high metabolic ceilings: towards an ecology of physiological restraint. *Journal of Experimental Biology* **214**:295-302.
- Piersma, T. 2012. What is habitat quality? Dissecting a research portfolio on shorebirds. Pages 383-407 *in* R. J. Fuller, editor. *Birds and Habitat: Relationships in Changing Landscapes*. Cambridge University Press, Cambridge.
- Piersma, T. 2019. Waddenwetenschap. Zouden we iets van onze wadden-natuur moeten weten dan? Pages 66-88 *in* B. Eenhoorn, editor. *Het Waddengebied bij nader inzien*. Waddenacademie, Leeuwarden.
- Piersma, T., A. J. Baker, L. M. Gosling, and W. J. Sutherland. 2000. Life history characteristics and the conservation of migratory shorebirds. Pages 105-124 *Behaviour and conservation*. Cambridge University Press, Cambridge.
- Piersma, T., G. C. Boere, C. A. Galbraith, and D. A. Stroud. 2006. Migration in the balance: tight ecological margins and the changing fortunes of shorebird populations. Pages 74-80 *Waterbirds around the world*. The Stationery Office, Edinburgh.
- Piersma, T., L. W. Bruinzeel, R. Drent, M. Kersten, J. van der Meer, and P. Wiersma. 1996. Variability in basal metabolic rate of a long-distance migrant shorebird (Red Knot, *Calidris canutus*) reflects shifts in organ sizes. *Physiological Zoology* **69**:191-217.
- Piersma, T., N. Cadée, and S. Daan. 1995. Seasonality in basal metabolic rate and thermal conductance in a long-distance migrant shorebird, the Knot (*Calidris canutus*). *Journal of Comparative Physiology B* **165**:37-45.
- Piersma, T., Y. C. Chan, T. Mu, C. J. Hassell, D. S. Melville, H. B. Peng, Z. Ma, Z. W. Zhang, and D. S. Wilcove. 2017. Loss of habitat leads to loss of birds: reflections on the Jiangsu, China, coastal development plans. *Wader Study* **124**:93-98.
- Piersma, T., and N. C. Davidson. 1992. The migrations and annual cycles of five subspecies of Knots in perspective. *Wader Study Group Bulletin* **64, Suppl.**:187-197.
- Piersma, T., P. de Goeij, and I. Tulp. 1993. An evaluation of intertidal feeding habitats from a shorebird perspective: towards comparisons between temperate and tropical mudflats. *Netherlands Journal of Sea Research* **31**:503-512.
- Piersma, T., A. Dekinga, J. A. van Gils, B. Achterkamp, and G. H. Visser. 2003. Cost-benefit analysis of mollusc-eating in a shorebird. I. Foraging and processing costs estimated by the doubly labelled water method. *Journal of Experimental Biology* **206**:3361-3368.
- Piersma, T., M. H. A. Dekker, and J. S. Sinninghe Damste. 1999. An avian equivalent of make-up? *Ecology Letters* **2**:201-203.
- Piersma, T., and M. W. Dietz. 2007. Twofold seasonal variation in the supposedly constant, species-specific, ratio of upstroke to downstroke flight muscles in red knots *Calidris canutus*. *Journal of Avian Biology* **38**:536-540.
- Piersma, T., M. W. Dietz, A. Dekinga, S. Nebel, J. van Gils, P. F. Battley, and B. Spaans. 1999. Reversible size-changes in stomachs of shorebirds: when, to what extent, and why? *Acta ornithologica* **34**:175-181.

- Piersma, T., R. Drent, and P. Wiersma. 1991. Temperate versus tropical wintering in the world's northernmost breeder, the Knot: metabolic scope and resource levels restrict subspecific options. *Acta XX Congressus Internationalis Ornithologici (Christchurch)* **II**:761-772.
- Piersma, T., J. A. Gessaman, A. Dekinga, and G. H. Visser. 2004. Gizzard and other lean components increase, yet Basal Metabolic Rates decrease, when red knots *Calidris canutus* are shifted from soft to hard-shelled food. *Journal of Avian Biology* **35**:99-104.
- Piersma, T., R. E. Gill, Jr., D. R. Ruthrauff, C. G. Guglielmo, J. R. Conklin, and C. M. Handel. 2022. The Pacific as the world's greatest theater of bird migration: Extreme flights spark questions about physiological capabilities, behavior, and the evolution of migratory pathways. *Ornithology* **139**:1-29, ukab086.
- Piersma, T., P. M. Gonzalez, P. de Goeij, G. A. Gudmundsson, and A. Lindstrom. 1996. Knots, White-rumped Sandpipers and other wader species performing bat-like acrobatics on staging sites. *Wader Study Group Bulletin* **79**:69-70.
- Piersma, T., G. A. Gudmundsson, N. C. Davidson, and R. I. G. Morrison. 1996. Do arctic-breeding Red Knots (*Calidris canutus*) accumulate skeletal calcium before egg laying? *Canadian Journal of Zoology* **74**:2257-2261.
- Piersma, T., G. A. Gudmundsson, and K. Lilliendahl. 1999. Rapid changes in the size of different functional organ and muscle groups during refueling in a long-distance migrating shorebird. *Physiological and Biochemical Zoology* **72**:405-415.
- Piersma, T., E. M. A. Kok, C. J. Hassell, H.-B. Peng, Y. I. Verkuil, G. Lei, J. Karagicheva, E. Rakhimberdiev, P. W. Howey, T. L. Tibbitts, and Y.-C. Chan. 2021. When a typical jumper skips: itineraries and staging habitats used by Red Knots (*Calidris canutus piersmai*) migrating between northwest Australia and the New Siberian Islands. *Ibis* **63**: 1235–1251.
- Piersma, T., A. Koolhaas, A. Dekinga, and E. Gwinner. 2000. Red blood cell and white blood cell counts in sandpipers (*Philomachus pugnax*, *Calidris canutus*): effects of captivity, season, nutritional status, and frequent bleedings. *Canadian Journal of Zoology* **78**:1349-1355.
- Piersma, T., A. Lindstrom, R. Drent, I. Tulp, J. Jukema, R. I. G. Morrison, J. Reneerkens, H. Schekkerman, and G. H. Visser. 2003. High daily energy expenditure of incubating shorebirds on High Arctic tundra: a circumpolar study. *Functional Ecology* **17**:356-362.
- Piersma, T., T. Lok, Y. Chen, C. J. Hassell, H. Y. Yang, A. Boyle, M. Slaymaker, Y. C. Chan, D. S. Melville, Z. W. Zhang, and Z. Ma. 2016. Simultaneous declines in summer survival of three shorebird species signals a flyway at risk. *Journal of Applied Ecology* **53**:479-490.
- Piersma, T., J. L. Lozan, E. Rachor, K. Reise, J. Sundermann, and H. von Westernhagen. 2003. Wandernde Kustenvogel im Wattenmeer als Indikatoren globaler Umweltfaktoren. Pages 176-181 *Warnsignale aus Nordsee & Wattenmeer - Eine aktuelle Umweltbilanz. Wissenschaftliche Auswertungen, Hamburg.*
- Piersma, T., R. B. MacCurdy, R. M. Gabrielson, J. Cluderay, A. Dekinga, E. L. Spaulding, T. Oudman, J. Onrust, J. A. van Gils, D. W. Winkler, and A. I. Bijleveld. 2014. Fijnmazige positiebepalingen van individuen in groepen: de principes en drie toepassingen van TOA-tracking. *Limosa* **87**:156-167.
- Piersma, T., H. Meltofte, J. Jukema, J. Reneerkens, P. de Goeij, and W. Ekster. 2006. A single-year comparison of two methods of censusing breeding red knot and sanderling in High Arctic Greenland. *Wader Study Group Bulletin* **109**: 83-87.
- Piersma, T., and M. Poot. 1993. Where waders may parallel penguins: spontaneous increase in locomotor activity triggered by fat depletion in a voluntarily fasting Knot. *Ardea* **81**:1-8.
- Piersma, T., P. Prokosch, and D. Bredin. 1992. The migration system of Afro-siberian Knots *Calidris canutus canutus*. *Wader Study Group Bulletin* **64, Suppl.**:52-63.
- Piersma, T., and M. Ramenofsky. 1998. Long-term decreases of corticosterone in captive migrant shorebirds that maintain seasonal mass and moult cycles. *Journal of Avian Biology* **29**:97-104.
- Piersma, T., J. Reneerkens, and M. Ramenofsky. 2000. Baseline corticosterone peaks in shorebirds with maximal energy stores for migration: a general preparatory mechanism for rapid behavioral and metabolic transitions? *General and Comparative Endocrinology* **120**:118-126.
- Piersma, T., D. I. Rogers, P. M. Gonzalez, L. Zwarts, L. J. Niles, I. de Lima S.do Nascimento, C. D. T. Minton, A. J. Baker, R. Greenberg, and P. P. Marra. 2005. Fuel storage rates before northward flights in red knots worldwide: facing the severest ecological constraint in tropical intertidal environments? Pages 262-273 *Birds of two worlds: ecology and evolution of migration. Johns Hopkins University Press, Baltimore.*
- Piersma, T., and B. Spaans. 2004. The power of comparison; ecological studies on waders worldwide. *Limosa* **77**:43-54.
- Piersma, T., B. Spaans, and A. Dekinga. 2002. Are shorebirds sometimes forced to roost on water in thick fog? *Wader*



Study Group Bulletin **97**:42-44.

- Piersma, T., I. Tulp, Y. Verkuil, P. Wiersma, G. A. Gudmundsson, and A. Lindstrom. 1991. Arctic sounds on temperate shores: the occurrence of song and ground display in Knots *Calidris canutus* at spring staging sites. *Ornis Scandinavica* **22**:404-407.
- Piersma, T., R. van Aelst, K. Kurk, H. Berkhoudt, and L. R. M. Maas. 1998. A new pressure sensory mechanism for prey detection in birds: the use of principles of seabed dynamics? *Proceedings of the Royal Society of London B* **265**:1377-1383.
- Piersma, T., J. van Gils, P. de Goeij, and J. van der Meer. 1995. Holling's functional response model as a tool to link the food-finding mechanism of a probing shorebird with its spatial distribution. *Journal of Animal Ecology* **64**:493-504.
- Piersma, T., Y. Verkuil, and I. Tulp. 1994. Resources for long-distance migration of Knots *Calidris canutus islandica* and *C. c. canutus*: how broad is the temporal exploitation window of benthic prey in the western and eastern Wadden Sea. *Oikos* **71**:393-407.
- Poot, M. J. M., B. A. J. Roelen, and T. Piersma. 2014. Red Knots scavenging on large, dying cockles: opportunistic feeding by a sensory specialized mollusc-crushing shorebird. *Wader Study Group Bulletin* **121**:33-42.
- Quaintenne, G., J. A. van Gils, P. Bocher, A. Dekinga, and T. Piersma. 2010. Diet selection in a molluscivore shorebird across Western Europe: does it show short- or long-term intake rate-maximization? *Journal of Animal Ecology* **79**:53-62.
- Quaintenne, G., J. A. Van Gils, P. Bocher, A. Dekinga, and T. Piersma. 2011. Scaling up ideals to freedom: are densities of red knots across western Europe consistent with ideal free distribution? *Proceedings of the Royal Society B* **278**:2728-2736.
- Rakhimberdiev, E., P. J. van den Hout, M. Brugge, B. Spaans, and T. Piersma. 2015. Seasonal mortality and sequential density dependence in a migratory bird. *Journal of Avian Biology* **46**:332-341.
- Reneerkens, J., J. B. Almeida, D. B. Lank, J. Jukema, R. B. Lanctot, R. I. G. Morrison, W. I. C. Rijpstra, D. Schamel, H. Schekkerman, J. S. Sinninghe Damste, P. S. Tomkovich, D. M. Tracy, I. Tulp, and T. Piersma. 2007. Parental role division predicts avian preen wax cycles. *Ibis* **149**:721-729.
- Reneerkens, J., R. I. G. Morrison, M. Ramenofsky, T. Piersma, and J. C. Wingfield. 2002. Baseline and stress-induced levels of corticosterone during different life cycle substages in a shorebird on the High Arctic breeding grounds. *Physiological and Biochemical Zoology* **75**:200-208.
- Reneerkens, J., T. Piersma, J. Jukema, P. de Goeij, A. Bol, and H. Meltofte. 2005. Sex-ratio and body size of sandpiper chicks at Zackenberg, north-east Greenland in 2003. *Wader Study Group Bulletin* **106**:12-16.
- Reneerkens, J., T. Piersma, and M. Ramenofsky. 2002. An experimental test of the relationship between temporal variability of feeding opportunities and baseline levels of corticosterone in a shorebird. *Journal of Experimental Zoology* **293**:81-88.
- Reneerkens, J., T. Piersma, and J. S. Sinninghe Damste. 2005. Switch to diester preen waxes may reduce avian nest predation by mammalian predators using olfactory cues. *Journal of Experimental Biology* **208**:4199-4202.
- Reneerkens, J., M. A. Versteegh, A. M. Schneider, T. Piersma, and E. H. Burt, Jr. 2008. Seasonally changing preen-wax composition: red knots' (*Calidris canutus*) flexible defense against feather-degrading bacteria? *Auk* **125**:285-290.
- Reperant, L. A., M. W. G. van de Bildt, G. van Amerongen, D. M. Buehler, A. D. M. E. Osterhaus, S. Jenni-Eiermann, T. Piersma, and T. Kuiken. 2011. Highly pathogenic avian influenza virus H5N1 infection in a long-distance migrant shorebird under migratory and non-migratory states. *PLoS ONE* **6**:1-11 (e27814).
- Rijpstra, W. I. C., J. Reneerkens, T. Piersma, and J. S. Sinninghe Damste. 2007. Structural identification of the beta-hydroxy fatty acid-based diester preen gland waxes of shorebirds. *Journal of Natural Products* **70**:1804-1807.
- Rogers, D. I., P. F. Battley, and T. Piersma. 2000. Progress Report Tracking 2000: radio-telemetry and other studies of Great Knots and Red Knots in Roebuck Bay, March-April 2000. Informal report NIOZ, Texel.
- Rogers, D. I., H. Y. Yang, C. J. Hassell, A. N. Boyle, K. G. Rogers, B. Chen, Z. W. Zhang, and T. Piersma. 2010. Red Knots (*Calidris canutus piersmai* and *C. c. rogersi*) depend on a small threatened staging area in Bohai Bay, China. *Emu* **110**:307-315.
- Shamoun-Baranes, J., J. Leyrer, E. van Loon, P. Bocher, F. Robin, F. Meunier, and T. Piersma. 2010. Stochastic atmospheric assistance and the use of emergency staging sites by migrants. *Proceedings of the Royal Society B* **277**:1505-1511.
- Sinninghe Damste, J. S., M. H. A. Dekker, B. E. van Dongen, S. Schouten, and T. Piersma. 2000. Structural identification of the diester preen-gland waxes of the Red Knot (*Calidris canutus*). *Journal of Natural Products* **63**:381-384.

- Sitters, H. P., P. M. Gonzalez, T. Piersma, A. J. Baker, and D. J. Price. 2001. Day and night feeding habitat of Red Knots in Patagonia: profitability versus safety? *Journal of Field Ornithology* **72**:86-95.
- Spaans, B., M. Brugge, A. Dekinga, H. Horn, L. van Kooten, and T. Piersma. 2009. Space use of red knots *Calidris canutus* in the Dutch Wadden Sea. *Limosa* **82**:113-121.
- Spaans, B., L. Van Kooten, J. Cremer, J. Leyrer, and T. Piersma. 2011. Densities of individually marked migrants away from the marking site to estimate population size: a test with three wader populations. *Bird Study* **58**:130-140.
- Starck, J. M., M. W. Dietz, T. Piersma, and J. R. Speakman. 2001. The assessment of body composition and other parameters by ultrasound scanning. Pages 188-210 *Body composition analysis of animals. A handbook of non-destructive methods*. Cambridge University Press, Cambridge.
- Underhill, L. G., R. A. Earle, T. Piersma, I. Tulp, and A. Verster. 1994. Knots (*Calidris canutus*) from Germany and South Africa parasitised by trematode *Cyclocoelum mutabile* *Journal fur Ornithologie* **135**:236-239.
- Vahl, W. K., J. van der Meer, F. J. Weissing, D. van Dullemen, and T. Piersma. 2005. The mechanisms of interference competition: two experiments on foraging waders. *Behavioral Ecology* **16**:845-855.
- van den Hout, P. J., K. J. Mathot, L. R. M. Maas, and T. Piersma. 2010. Predator escape tactics in birds: linking ecology and aerodynamics. *Behavioral Ecology* **21**:16-25.
- van den Hout, P. J., and T. Piersma. 2013. Laagwatersverspreiding van steltlopers in de Waddenzee. *Limosa* **86**:25-30.
- van den Hout, P. J., T. Piersma, J. ten Horn, B. Spaans, and T. Lok. 2017. Individual shifts toward safety explain age-related foraging distribution in a gregarious shorebird. *Behavioral Ecology* **28**:419-428.
- van den Hout, P. J., B. Spaans, and T. Piersma. 2008. Differential mortality of wintering shorebirds on the Banc d'Arguin, Mauritania, due to predation by large falcons. *Ibis* **150 (Suppl. 1)**:219-230.
- van den Hout, P. J., J. A. van Gils, F. Robin, M. van der Geest, A. Dekinga, and T. Piersma. 2014. Interference from adults forces young red knots to forage for longer and in dangerous places. *Animal Behaviour* **88**:137-146.
- van der Meer, J., T. Piersma, J. J. Beukema, and K. Reise. 2001. Population dynamics of benthic species on tidal flats: the possible roles of shorebird predation. Pages 317-335 *Ecological comparisons of sedimentary shores*. Springer-Verlag, Berlin.
- van der Velde, M., O. Hadrath, Y. I. Verkuil, A. J. Baker, and T. Piersma. 2017. New primers for molecular sex identification of waders. *Wader Study* **124**:147-151.
- van Gils, J., and T. Piersma. 1999. Day- and nighttime movements of radiomarked Red Knots staging in the western Wadden Sea in July-August 1995. *Wader Study Group Bulletin* **89**:36-44.
- van Gils, J. A., P. F. Battley, T. Piersma, and R. Drent. 2005. Reinterpretation of gizzard sizes of red knots world-wide emphasises overriding importance of prey quality at migratory stopover sites. *Proceedings of the Royal Society B* **272**:2609-2618.
- van Gils, J. A., S. R. de Rooij, J. van Belle, J. van der Meer, A. Dekinga, T. Piersma, and R. Drent. 2005. Digestive bottleneck affects foraging decisions in red knots *Calidris canutus* . I. Prey choice. *Journal of Animal Ecology* **74**:105-119.
- van Gils, J. A., A. Dekinga, B. Spaans, W. K. Vahl, and T. Piersma. 2005. Digestive bottleneck affects foraging decisions in red knots *Calidris canutus* . II. Patch choice and length of working day. *Journal of Animal Ecology* **74**:120-130.
- van Gils, J. A., A. Dekinga, P. J. van den Hout, B. Spaans, and T. Piersma. 2008. Digestive organ size and behavior of red knots (*Calidris canutus*) indicate the quality of their benthic food stocks. *Israel Journal of Ecology & Evolution* **53** (2007):329-346.
- van Gils, J. A., S. Lisovski, T. Lok, W. Meissner, A. Ożarowska, J. de Fouw, E. Rakhimberdiev, M. Y. Soloviev, T. Piersma, and M. Klaassen. 2016. Body shrinkage due to Arctic warming reduces red knot fitness in tropical wintering range. *Science* **352**:819-821.
- van Gils, J. A., and T. Piersma. 2004. Digestively constrained predators evade the cost of interference competition. *Journal of Animal Ecology* **73**:386-398.
- van Gils, J. A., T. Piersma, A. Dekinga, and P. F. Battley. 2006. Modelling phenotypic flexibility: an optimality analysis of gizzard size in red knots (*Calidris canutus*). *Ardea* **94**:409-420.
- van Gils, J. A., T. Piersma, A. Dekinga, and M. W. Dietz. 2003. Cost-benefit analysis of mollusc-eating in a shorebird. II. Optimizing gizzard size in the face of seasonal demands. *Journal of Experimental Biology* **206**:3369-3380.
- van Gils, J. A., T. Piersma, A. Dekinga, B. Spaans, and C. Kraan. 2006. Shellfish-dredging pushes a flexible avian top predator out of a protected marine ecosystem. *PLoS Biology* **4**:2399-2404.
- van Gils, J. A., I. W. Schenk, O. Bos, and T. Piersma. 2003. Incompletely informed shorebirds that face a digestive

- bottleneck maximize net energy gain when exploiting patches. *American Naturalist* **161**:777-793.
- van Gils, J. A., B. Spaans, A. Dekinga, and T. Piersma. 2006. Foraging in a tidally structured environment by red knots (*Calidris canutus*): ideal, but not free. *Ecology* **87**:1189-1202.
- van Gils, J. A., M. van der Geest, B. De Meulenaer, H. Gillis, T. Piersma, and E. O. Folmer. 2015. Moving on with foraging theory: incorporating movement decisions into the functional response of a gregarious shorebird. *Journal of Animal Ecology* **84**:554-564.
- van Gils, J. A., M. van der Geest, E. J. Jansen, L. L. Govers, J. de Fouw, and T. Piersma. 2012. Trophic cascade induced by molluscivore predator alters pore-water biogeochemistry via competitive release of prey. *Ecology* **95**:1143-1152.
- van Gils, J. A., M. van der Geest, J. Leyrer, T. Oudman, T. Lok, J. Onrust, J. de Fouw, T. van der Heide, P. J. van den Hout, B. Spaans, A. Dekinga, M. Brugge, and T. Piersma. 2013. Toxin constraint explains diet choice, survival and population dynamics in a molluscivore shorebird. *Proceedings of the Royal Society B* **280**:20130861 (20130861-20130810).
- Verboven, N., and T. Piersma. 1995. Is the evaporative water loss of Knot *Calidris canutus* higher in tropical than in temperate climates? *Ibis* **137**:308-316.
- Verhoeven, M. A., J. van Eerbeek, C. J. Hassell, and T. Piersma. 2016. Fuelling and moult in Red Knots before northward departure: a visual evaluation of differences between ages, sexes and subspecies. *Emu* **116**:158-167.
- Verkuil, Y. I., E. Tavares, P. M. Gonzalez, K. Choffe, O. Haddrath, M. Peck, L. J. Niles, A. J. Baker, T. Piersma, and J. R. Conklin. 2022. Genetic structure in the nonbreeding range of *rufa* Red Knots suggests distinct Arctic breeding populations. *Ornithological Applications* **124**:duab053 (011 pp.).
- Vézina, F., A. Dekinga, and T. Piersma. 2010. Phenotypic compromise in the face of conflicting ecological demands: an example in red knots *Calidris canutus*. *Journal of Avian Biology* **41**:88-93.
- Vézina, F., A. Dekinga, and T. Piersma. 2011. Shorebirds' seasonal adjustments in thermogenic capacity are reflected by changes in body mass: how preprogrammed and instantaneous acclimation work together. *Integrative and Comparative Biology* **51**:394-408.
- Vezina, F., A. R. Gerson, C. G. Guglielmo, and T. Piersma. 2017. The performing animal: causes and consequences of body remodeling and metabolic adjustments in red knots facing contrasting thermal environments. *American Journal of Physiology Regulatory Integrative Comparative Physiology* **313**:R120-R131.
- Vézina, F., A. Gustowska, K. M. Jalvingh, O. Chastel, and T. Piersma. 2009. Hormonal correlates and thermoregulatory consequences of molting on metabolic rate in a northerly wintering shorebird. *Physiological and Biochemical Zoology* **82**:129-142.
- Vézina, F., K. M. Jalvingh, A. Dekinga, and T. Piersma. 2006. Acclimation to different thermal conditions in a northerly wintering shorebird is driven by body mass-related changes in organ size. *Journal of Experimental Biology* **209**:3141-3154.
- Vézina, F., K. M. Jalvingh, A. Dekinga, and T. Piersma. 2007. Thermogenic side-effects to migratory predisposition in shorebirds. *Am.J.Physiol.Regulatory Integrative Comp.Physiol.* **292**:R1287-R1297.
- Vézina, F., M. Petit, D. M. Buehler, A. Dekinga, and T. Piersma. 2009. Limited access to food and physiological trade-offs in a long-distance migrant shorebird. I. Energy metabolism, behavior, and body-mass regulation. *Physiological and Biochemical Zoology* **82**:549-560.
- Vézina, F., T. D. Williams, T. Piersma, and R. I. G. Morrison. 2012. Phenotypic compromises in a long-distance migrant during the transition from migration to reproduction in the High Arctic. *Functional Ecology* **26**:500-512.
- Visser, G. H., A. Dekinga, B. Achterkamp, and T. Piersma. 2000. Ingested water equilibrates isotopically with the body water pool of a shorebird with unrivaled water fluxes. *Am.J.Physiol.Regulatory Integrative Comp.Physiol.* **279**:R1795-R1804.
- Weber, T. P., and T. Piersma. 1996. Basal metabolic rate and the mass of tissues differing in metabolic scope: migration-related covariation between individual Knots *Calidris canutus*. *Journal of Avian Biology* **27**:215-224.
- Wiersma, P., L. W. Bruinzeel, and T. Piersma. 1993. Energy savings in waders: studies on the insulation of Knots. *Limosa* **66**:41-52.
- Wiersma, P., and T. Piersma. 1994. Effects of microhabitat, flocking, climate and migratory goal on energy expenditure in the annual cycle of Red Knots. *Condor* **96**:257-279.
- Wiersma, P., and T. Piersma. 1995. Scoring abdominal profiles to characterize migratory cohorts of shorebirds: an example with Red Knots. *Journal of Field Ornithology* **66**:88-98.
- Yang, H. Y., B. Chen, M. Barter, T. Piersma, C.-F. Zhou, F. C. Li, and Z. W. Zhang. 2011. Impacts of tidal land reclamation

- in Bohai Bay, China: ongoing losses of critical Yellow Sea waterbird staging and wintering sites. *Bird Conservation International* **21**:241-259.
- Yang, H. Y., B. Chen, Z. Ma, N. Hua, J. A. van Gils, Z. W. Zhang, and T. Piersma. 2013. Economic design in a long-distance migrating molluscivore: how fast-fuelling red knots in Bohai Bay, China, get away with small gizzards. *Journal of Experimental Biology* **216**:3627-3636.
- Yang, H. Y., B. Chen, T. Piersma, Z. W. Zhang, and C. Ding. 2016. Molluscs of an intertidal soft-sediment area in China: Does overfishing explain a high density but low diversity community that benefits staging shorebirds. *Journal of Sea Research* **109**:20-28.
- Zhang, S.-D., Q.-Q. Bai, D. S. Melville, C.-C. Feng, T. Piersma, and Z. Ma. 2021. Food supplementation as a conservation intervention: A framework and a case of helping shorebirds at a refuelling site. *Biological Conservation* **264**:109394 (109310 pp).
- Zhang, S.-D., Z. Ma, C.-Y. Choi, H. B. Peng, Q.-Q. Bai, W.-L. Liu, K. Tan, D. S. Melville, P. He, Y. C. Chan, J. A. van Gils, and T. Piersma. 2018. Persistent use of a shorebird staging site in the Yellow Sea despite severe declines in food resources implies a lack of alternatives. *Bird Conservation International* **28**:534-548.
- Zhang, S.-D., Z. Ma, C.-Y. Choi, H.-B. Peng, D. S. Melville, T.-T. Zhao, Q.-Q. Bai, W.-L. Liu, Y. C. Chan, J. A. van Gils, and T. Piersma. 2019. Morphological and digestive adjustments buffer performance: How staging shorebirds cope with severe food declines. *Ecology and Evolution* **9**:3868-3878.
- Zhang, S.-D., Z. Ma, C.-C. Feng, D. S. Melville, J. A. van Gils, and T. Piersma. 2019. Individual diet differences in a molluscivore shorebird are associated with the size of body instruments for internal processing rather than for feeding. *Journal of Avian Biology* **50**:e02255, 02256 pp.